



CRIMP DIMENSIONAL DATA 2019



Disclaimer

The information and dimensions listed in this catalogue is correct to the best of our knowledge and belief, having been compiled from reliable and official sources of information. However Hardy Spicer (HS Company Pty Ltd) accepts no responsibility for possible errors, omissions or unsuitable parts being listed or fitted to any vehicle. Due to our continuous product and range development we reserve the right to alter the specification without prior notice. The digital setting and die sets relate to the Gates GC32-XD crimp machine using Gates matched hose and fittings.

We welcome any feedback re suspected errors or omissions to the information enclosed. We can be contacted via email hspicer@hardyspicer.com.au
 Or via Ph 03 9794 1900 or Fax 03 9706 9928
 Alternatively via mail at PO Box 4262, Dandenong South, Vic. 3164.

Crimp Dimensions

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Crimp Dimensions

Wire Braid Hose

| Hose Part Number | Size (in.) | Fitting Type | Ferrule Description | Skive Lgth +/- 0.76(mm) | Die Set | Digital Setting | Crimp OD +/- 0.25(mm) |
|------------------|------------|--------------|---------------------|-------------------------|---------|-----------------|-----------------------|
| G1-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 0.85 | 17.91 |
| G1-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 1.61 | 21.46 |
| G1-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.30 | 25.65 |
| G1-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 0.47 | 28.83 |
| G1-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 1.39 | 34.29 |
| G1-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 1.77 | 44.70 |
| G1-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 0.46 | 52.07 |
| G1-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 2.52 | 58.42 |
| G1-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 2.19 | 71.12 |
| | | | | | | | |
| G2-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.65 | 18.80 |
| G2-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.62 | 22.61 |
| G2-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 2.22 | 26.67 |
| G2-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 1.26 | 29.72 |
| G2-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.40 | 35.43 |
| G2-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 2.46 | 45.47 |
| G2-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 2.08 | 53.98 |
| G2-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 4.00 | 60.07 |
| G2-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 3.55 | 72.90 |
| | | | | | | | |
| G1H-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 1.61 | 21.46 |
| G1H-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.53 | 25.91 |
| G1H-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 0.47 | 28.83 |
| G1H-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 1.39 | 34.29 |
| G1H-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 1.77 | 44.70 |
| G1H-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 0.46 | 52.07 |
| G1H-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 2.52 | 58.42 |
| G1H-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 2.19 | 71.12 |
| | | | | | | | |
| G2XH-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.65 | 18.8 |
| G2XH-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.62 | 22.61 |
| G2XH-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 2.22 | 26.67 |
| G2XH-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 1.26 | 29.72 |
| G2XH-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.40 | 35.43 |
| G2XH-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 1.77 | 44.70 |
| G2H-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 2.08 | 53.98 |
| G2H-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 4.00 | 60.07 |
| G2H-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 3.65 | 72.90 |

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

| Hose Part Number | Size (in.) | Fitting Type | Ferrule Description | Skive Lgth +/- 0.76(mm) | Die Set | Digital Setting | Crimp OD +/- 0.25(mm) |
|------------------|------------|--------------|---------------------|-------------------------|------------------|-----------------|-----------------------|
| GMV-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 3.19 | 36.32 |
| GMV-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 2.69 | 45.72 |
| GMV-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 1.76 | 53.59 |
| GMV-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 1.45 | 56.90 |
| GMV-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 2.15 | 70.87 |
| GMV-40 | 2 1/2 | GL | 1-pc GL | ----- | 32-86 | 2.94 | 72.14 |
| GMV-48 | 3 | GL | 1-pc GL | | Die Set Required | | |
| GMV-56 | 3 1/2 | GL | 1-pc GL | | Die Set Required | | |
| GMV-64 | 4 | GL | 1-pc GL | | Die Set Required | | |

| | | | | | | | |
|--------|-----|----|-----------|-------|-------|------|-------|
| TH7-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.08 | 18.16 |
| TH7-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.06 | 21.97 |
| TH7-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.65 | 26.04 |
| TH7-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 0.72 | 33.53 |
| TH7-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 0.16 | 42.93 |

| | | | | | | | |
|--------|-----|----|-----------|-------|-------|------|-------|
| TH8-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.88 | 19.05 |
| TH8-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.40 | 22.35 |
| TH8-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.88 | 26.29 |
| TH8-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 1.39 | 34.29 |
| TH8-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 2.23 | 45.21 |

| | | | | | | | |
|--------|-----|----|-----------|-------|-------|------|-------|
| M2T-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.08 | 18.16 |
| M2T-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.00 | 21.84 |
| M2T-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.88 | 26.29 |
| M2T-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 0.25 | 28.58 |
| M2T-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 1.84 | 34.80 |
| M2T-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 0.63 | 43.43 |

| | | | | | | | |
|---------|-----|----|-----------|-------|-------|------|-------|
| CM2T-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.00 | 21.84 |
| CM2T-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.88 | 26.29 |

| | | | | | | | |
|------------|-----|----|-----------|-------|-------|-------|-------|
| SAB/R16-04 | 1/4 | MC | MegaCrimp | ----- | ----- | ----- | 18.20 |
| SAB/R16-06 | 3/8 | MC | MegaCrimp | ----- | ----- | ----- | 22.00 |
| SAB/R16-08 | 1/2 | MC | MegaCrimp | ----- | ----- | ----- | 26.30 |
| SAB/R16-12 | 3/4 | MC | MegaCrimp | ----- | ----- | ----- | 34.80 |
| SAB/R16-16 | 1 | MC | MegaCrimp | ----- | ----- | ----- | 43.60 |

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Crimp Dimensions

| Hose Part Number | Size (in.) | Fitting Type | Ferrule Description | Skive Lgth +/- 0.76(mm) | Die Set | Digital Setting | Crimp OD +/- 0.25(mm) |
|------------------|------------|--------------|---------------------|-------------------------|---------|-----------------|-----------------------|
| M3K-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 0.73 | 17.78 |
| M3K-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 0.83 | 20.57 |
| M3K-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.07 | 25.4 |
| M3K-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 1.26 | 29.72 |
| M3K-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.40 | 35.43 |
| M3K-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 2.69 | 45.72 |
| M4K-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.08 | 18.16 |
| M4K-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.00 | 21.84 |
| M4K-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.88 | 26.29 |
| M4K-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 1.03 | 29.59 |
| M4K-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.40 | 35.43 |
| M4K-12 | 3/4 | GS | GS-12GS1F-2 | ----- | 32-35 | 0.27 | 33.02 |
| M4K-16 | 1 | GS | GS-16GS1F-2 | ----- | 32-36 | 2.82 | 41.15 |
| M4K-16 | 1 | GS | GS-16GS1F-4 | ----- | 32-37 | 0.64 | 43.69 |
| M5K-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.08 | 18.16 |
| M5K-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.00 | 21.84 |
| M5K-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.99 | 26.42 |
| M6K-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.65 | 18.80 |
| J2AT-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.65 | 18.80 |
| J2AT-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.73 | 22.73 |
| MT250-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 0.73 | 17.27 |
| MT250-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 1.72 | 21.59 |
| MT250-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 0.61 | 24.89 |
| MT250-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 2.22 | 26.67 |
| MT250-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 1.16 | 34.04 |
| MT250-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 1.08 | 43.94 |
| MT250-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-38 | 2.58 | 50.29 |
| MT500-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 1.76 | 57.40 |
| MT500-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 1.50 | 70.61 |
| MT500-40 | 2 1/2 | GL | 1-pc GL | ----- | 32-86 | 0.55 | 71.12 |
| MT500-48 | 3 | GL | 1-pc GL | Die Set Required | | | |

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

| Hose Part Number | Size (in.) | Fitting Type | Ferrule Description | Skive Lgth +/- 0.76(mm) | Die Set | Digital Setting | Crimp OD +/- 0.25(mm) |
|------------------|------------|--------------|---------------------|-------------------------|---------|-----------------|-----------------------|
| MT1000-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 0.73 | 17.78 |
| MT1000-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 0.83 | 20.57 |
| MT1000-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 0.61 | 24.89 |
| MT1000-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 1.03 | 29.46 |
| MT1000-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.00 | 33.66 |
| MT1000-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 0.39 | 43.18 |
| MT1000-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 0.13 | 51.31 |

| | | | | | | | |
|--------|-------|-----|-------------|-------|---------|------|-------|
| ACP-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-39 | 2.08 | 53.98 |
| ACP-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 3.96 | 59.94 |
| ACP-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-312 | 3.65 | 72.90 |

| | | | | | | | |
|--------|-----|----|-----------|-------|-------|------|-------|
| RFS-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 0.85 | 17.91 |
| RFS-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 1.61 | 21.46 |
| RFS-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.30 | 25.65 |
| RFS-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 1.39 | 34.29 |

| | | | | | | | |
|--------|------|----|------------|-------|-------|------|-------|
| GTH-03 | 3/16 | PC | PC-03PC2FS | 17.50 | | | 16.13 |
| GTH-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.88 | 19.05 |
| GTH-05 | 5/16 | MC | MegaCrimp | ----- | 32-21 | 2.79 | 20.07 |
| GTH-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 1.72 | 21.59 |
| GTH-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.88 | 26.29 |
| GTH-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 0.90 | 29.31 |
| GTH-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.29 | 35.31 |
| GTH-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 0.63 | 43.43 |

| | | | | | | | |
|--------|------|----|-----------|-------|-------|------|-------|
| RLA-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.19 | 18.29 |
| RLA-05 | 5/16 | MC | MegaCrimp | ----- | 32-21 | 2.34 | 19.56 |
| RLA-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 2.00 | 21.84 |
| RLA-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 2.92 | 27.43 |
| RLA-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 0.58 | 28.96 |
| RLA-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 3.19 | 36.32 |
| RLA-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 0.16 | 42.93 |

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Crimp Dimensions

| Hose Part Number | Size (in.) | Fitting Type | Ferrule Description | Skive Lgth +/- 0.76(mm) | Die Set | Digital Setting | Crimp OD +/- 0.25(mm) |
|------------------|------------|--------------|---------------------|-------------------------|---------|-----------------|-----------------------|
| S/R-XH-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 1.07 | 25.40 |
| S/R-XH-10 | 5/8 | MC | MegaCrimp | ----- | 32-33 | 4.25 | 28.96 |
| S/R-XH-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 2.00 | 35.05 |
| TR500-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 0.28 | 17.27 |
| TR500-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 0.83 | 20.57 |
| TR500-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 0.61 | 24.89 |
| TR500-10 | 5/8 | MC | MegaCrimp | ----- | 32-34 | 0.36 | 28.70 |
| TR500-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 0.27 | 33.02 |
| TR500-16 | 1 | MC | MegaCrimp | ----- | 32-36 | 1.94 | 41.40 |
| TERMINATOR-04 | 1/4 | MC | MegaCrimp | ----- | 32-21 | 1.65 | 18.80 |
| TERMINATOR-06 | 3/8 | MC | MegaCrimp | ----- | 32-22 | 3.29 | 23.37 |
| TERMINATOR-08 | 1/2 | MC | MegaCrimp | ----- | 32-33 | 2.22 | 26.67 |
| TERMINATOR-12 | 3/4 | MC | MegaCrimp | ----- | 32-35 | 3.19 | 36.32 |
| TERMINATOR-16 | 1 | MC | MegaCrimp | ----- | 32-37 | 2.35 | 45.34 |
| TERMINATOR-20 | 1 1/4 | MC | MegaCrimp | ----- | 32-38 | 4.82 | 52.83 |
| TERMINATOR-24 | 1 1/2 | GSP | GSP-24-1F-2 | ----- | 32-310L | 1.96 | 58.17 |
| TERMINATOR-32 | 2 | GSP | GSP-32-1F-2 | ----- | 32-313 | 2.54 | 74.30 |
| TF/1-03 | 3/16 | | MTF-03 | ----- | | | - |
| TF/1-04 | 1/4 | | MTF-04 | ----- | | | 12.30 |
| TF/1-05 | 5/16 | | MTF-05 | ----- | | | - |
| TF/1-06 | 3/8 | | MTF-06 | ----- | | | 15.95 |
| TF/1-08 | 1/2 | | MTF-08 | ----- | | | 20.45 |
| TF/1-10 | 5/8 | | MTF-10 | ----- | | | 23.35 |
| TF/1-12 | 3/4 | | MTF-12 | ----- | | | 26.72 |
| TF/1-16 | 1 | | MTF-16 | ----- | | | 33.05 |

Refer to Hardy Spicer Product Bulletin # 41 for further information on teflon crimp specifications for MTF ferrules available from your local Branch.

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

Spiral Hose

| Hose Part Number | Size (in.) | Fitting Type | Ferrule Description | Skive Lgth +/- 0.76(mm) | Die Set | Digital Setting | Crimp OD +/- 0.25(mm) |
|------------------|------------|--------------|---------------------|-------------------------|---------|-----------------|-----------------------|
| EFG3K-24 | 1 1/2 | GSP | GSP-24-1F-4 | ----- | 32-311 | 2.38 | 61.98 |
| EFG3K-32 | 2 | GSP | GSP-32-1F-4 | ----- | 32-313 | 2.92 | 74.55 |
| EFG4K-06 | 3/8 | GS | GS-06GS1F-4 | ----- | 32-33 | 0.61 | 24.89 |
| EFG4K-08 | 1/2 | GS | GS-08GS1F-4 | ----- | 32-33 | 2.92 | 27.43 |
| EFG4K-10 | 5/8 | GS | GS-10GS1F-4 | ----- | 32-35 | 0.72 | 33.53 |
| EFG4K-12 | 3/4 | GS | GS-12GS1F-4 | ----- | 32-35 | 4.31 | 37.59 |
| EFG4K-16 | 1 | GS | GS-16GS1F-4 | ----- | 32-37 | 1.54 | 44.45 |
| EFG4K-20 | 1 1/4 | GS | GS-20GS1F-4 | ----- | 32-39 | 0.46 | 52.07 |
| EFG5K-06 | 3/8 | GS | GS-06GS1F-4 | ----- | 32-33 | 0.61 | 24.89 |
| EFG5K-08 | 1/2 | GS | GS-08GS1F-4 | ----- | 32-33 | 2.92 | 27.43 |
| EFG5K-10 | 5/8 | GS | GS-10GS1F-4 | ----- | 32-35 | 0.72 | 33.53 |
| EFG5K-12 | 3/4 | GS | GS-12GS1F-4 | ----- | 32-35 | 4.31 | 37.59 |
| EFG5K-16 | 1 | GS | GS-16GS1F-4 | ----- | 32-37 | 1.54 | 44.45 |
| EFG5K-20 | 1 1/4 | GS | GS-20GS1F-6 | ----- | 32-310L | 0.71 | 56.64 |
| EFG5K-24 | 1 1/2 | GSH | 1 Piece | ----- | 32-311 | 3.88 | 63.75 |
| EFG5K-24 | 1 1/2 | GSM | 1 Piece | ----- | 32-311 | 3.88 | 63.75 |
| EFG5K-32 | 2 | GSH | 1 Piece | ----- | 32-314 | 0.45 | 77.85 |
| EFG5K-32 | 2 | GSM | 1 Piece | ----- | 32-314 | 2.20 | 79.25 |
| EFG6K-06 | 3/8 | GS | GS-06GS1F-4 | ----- | 32-33 | 0.61 | 24.89 |
| EFG6K-08 | 1/2 | GS | GS-08GS1F-4 | ----- | 32-33 | 2.92 | 27.43 |
| EFG6K-10 | 5/8 | GS | GS-10GS1F-4 | ----- | 32-35 | 0.72 | 33.53 |
| EFG6K-12 | 3/4 | GS | GS-12GS1F-4 | ----- | 32-35 | 4.31 | 37.59 |
| EFG6K-16 | 1 | GS | GS-16GS1F-4 | ----- | 32-37 | 1.54 | 44.45 |
| EFG6K-20 | 1 1/4 | GS | GS-20GS1F-6 | ----- | 32-310L | 0.71 | 56.64 |
| EFG6K-24 | 1 1/2 | GSH | 1 Piece | ----- | 32-311 | 3.88 | 63.75 |
| EFG6K-24 | 1 1/2 | GSM | 1 Piece | ----- | 32-311 | 3.88 | 63.75 |
| EFG6K-32 | 2 | GSM | 1 Piece | ----- | 32-314 | 2.20 | 79.25 |

Crimp Dimensions

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

GC32-XD CRIMPER



Part No: **GC32-XD**

Description: Powerful hydraulic crimper

Features: The new GC32-XD crimper crimps fittings up to 2 1/2". The open crimper head accommodates most hose construction or fitting configuration. The unique cloverleaf* design produces a smoother, better and more consistent crimp without any tapers in the crimp OD. A quick change tool enables fast loading of the colour coded, numbered dies.

Power Source: Single phase 20 amp plug

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Note: Die Set and Digital Setting information are to suit the Gates GC32-XD crimper only.

Notes

Crimp Dimensions



| | |
|--|------------|
| www.hardyspicer.com.au | |
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Crimp Dimensions

Notes

Notes section with horizontal lines for writing. The page contains two large, diagonal, semi-transparent watermarks of the Hardy Spicer logo and tagline: "hardy spicer • HOSE • FITTINGS • DRIVESHAFTS".

www.hardyspicer.com.au

| | |
|--------------|------------|
| Document No: | HSCRIMPCAT |
| Issue: | 9 |
| Issue Date: | 01/06/19 |

This catalogue is the copyright of Hardy Spicer

Central Support Group

17-31 Discovery Road, Dandenong South 3175

ABN 52 099 707 856

Email: hspicer@hardyspicer.com.au

Web: www.hardyspicer.com.au

Ph: (03) 9794 1900

Fax: (03) 9706 9928

Queensland

| | | | |
|-------------------|---|--------------------|---------------------|
| Eagle Farm | 45 Harvey Street North, Eagle Farm 4009 | Ph: (07) 3166 2500 | Fax: (07) 3166 2599 |
| Darra | 12 Pradella Street, Darra 4076 | Ph: (07) 3117 2800 | Fax: (07) 3117 2899 |
| Mackay | 43 Margaret Vella Drive, Mackay 4740 | Ph: (07) 4914 2100 | Fax: (07) 4914 2199 |
| Townsville | 602 Ingham Road, Bohle 4818 | Ph: (07) 4795 3400 | Fax: (07) 4795 3499 |

New South Wales

| | | | |
|-------------------|------------------------------------|--------------------|---------------------|
| Sydney | 37a Heathcote Road, Moorebank 2170 | Ph: (02) 9600 6333 | Fax: (02) 9602 1947 |
| Newcastle | 2 Canavan Drive, Beresfield 2322 | Ph: (02) 4964 4955 | Fax: (02) 4964 4935 |
| Wollongong | 2 Belmore Street, Wollongong 2500 | Ph: (02) 4229 2381 | Fax: (02) 4226 3016 |

Victoria

| | | | |
|------------------|---|--------------------|---------------------|
| Dandenong | 17-31 Discovery Road, Dandenong South, 3175 | Ph: (03) 9799 3250 | Fax: (03) 9799 2530 |
| Sunshine | 174a Fairbairn Road, Sunshine West, 3020 | Ph: (03) 9357 0233 | Fax: (03) 9357 0773 |

Tasmania

| | | | |
|-------------------|----------------------------------|--------------------|---------------------|
| Hobart | 10a Duncan Street, Montrose 7010 | Ph: (03) 6272 6907 | Fax: (03) 6272 0671 |
| Launceston | 17 Montague Road, Invermay 7248 | Ph: (03) 6326 6677 | Fax: (03) 6326 6902 |

South Australia

| | | | |
|-----------------|--|--------------------|---------------------|
| Adelaide | Unit 2, 479 - 481 South Road Regency Park 5010 | Ph: (08) 8349 6400 | Fax: (08) 8349 5264 |
|-----------------|--|--------------------|---------------------|

Western Australia

| | | | |
|-------------------|---------------------------------|--------------------|---------------------|
| Perth | 49 Banksia Road, Welshpool 6106 | Ph: (08) 9258 6300 | Fax: (08) 9258 6311 |
| Kalgoorlie | 7 Keogh Way, Kalgoorlie 6430 | Ph: (08) 9091 1443 | Fax: (08) 9091 1463 |
| Bunbury | 10 Shanahan Road, Bunbury 6230 | Ph: (08) 9725 7033 | Fax: (08) 9725 7044 |