



• HOSE • FITTINGS • DRIVESHAFTS

Certified AS/NZS ISO 9001:2015

Application Catalogue



Ph: 1300 304 763

DISCLAIMER & WARRANTY

Disclaimer

The information and dimensions listed in these catalogues is correct to the best of our knowledge and belief, having been compiled from reliable and official sources of information. However Hardy Spicer (HS Company Pty Ltd) accepts no responsibility for possible errors, omissions or unsuitable parts being listed or fitted to any vehicle. Dimensions listed are nominal throughout. Due to our continuous product and range development we reserve the right to alter the specification without prior notice.

We welcome any feedback re suspected errors or omissions to the information enclosed. We can be contacted via email hspicer@hardyspicer.com.au
Or via Ph 03 9794 1900 or Fax 03 97069928
Alternatively via mail at PO Box 4262, Dandenong South, Vic. 3164.

Warranty is designed to protect you from unforeseen defects in manufacturing materials and workmanship. It is not a guarantee that the product will not fail when the product is used in a manner outside the design parameters of the goods.

Warranty Policy - Universal Joint Driveshafts and Components

(Also please refer to our website <http://www.hardyspicer.com.au/terms.asp> for Terms and Conditions)

Hardy Spicer (HS Company Pty Ltd) warrants to the original purchaser that Universal Joints, Driveshaft Components and Driveshaft assemblies purchased from the Company will be free of defects in materials and workmanship subject to the following conditions.

The period of warranty will be for

- a. Passenger Vehicles (used exclusively on formed roads) 12 months or 20,000 km's whichever occurs first.
- b. Commercial or Off Road vehicles 3 months or 250 hours whichever occurs first.
- c. Industrial and Agricultural - 3 months or 250 hours whichever comes first.

Claims for replacement of parts will only be processed after inspection and acceptance by the Company and/or its supplier that product is defective in materials or workmanship. These items should be returned freight pre-paid by the purchaser after contacting the company for return instructions, with proof of purchase and documentation stating the reason for the warranty claim.

This Warranty is subject to the following limitations:

- a. Damage caused by improper installation, negligence, misuse, failure to follow our instructions or recommendations, or alterations or repair of goods without our approval.
- b. "Staked Replacement" joints are excluded due to torque capacity limitations of this replacement design. These should be used as an Emergency repair only. Hardy Spicer sell a range of replacement components rated to match or exceed the original staked joint designs and we strongly recommend their use in replacing unserviceable staked joints.
- c. Any product used in vehicles subject to Racing competition of any form, Speed Trials, Performance Dyno testing or vehicles that have been modified from the Manufacturer's original specifications are excluded except for dimensional defects.
- d. Any Driveshaft or Universal Joint component directly coupled to an internal combustion engine without a torsionally resilient coupling will be excluded from any claim.

Liability under this warranty is limited to the replacement of the component supplied if accepted by the Company to be defective in materials or workmanship. No liability is accepted for any consequential damage, transport, removal, installation, towing including loss of profits or other economic loss.

CONTENTS

A

AUSTIN 5

C

CHRYSLER 5

D

DAIHATSU 5

DAIMLER 6

F

FIAT 6

FORD 6

G

GREAT WALL 10

H

HOLDEN 11

HYUNDAI 14

I

IVECO 14

J

JAGUAR 14

JEEP 14

K

KIA 15

L

LADA 15

LEYLAND / MORRIS 15

M

MAZDA 16

MITSUBISHI 19

N

NISSAN 21

R

ROVER 24

S

SUBARU 24

T

TOYOTA 25

TRIUMPH 28

V

VOLVO 29

NOTES

A series of horizontal dotted lines for writing notes.

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
AUSTIN					
1800					
MAN	65-70	K5-A514		N/A	INNER HALF SHAFT
AUTO	65-70	K5-L4R		N/A	INNER HALF SHAFT
TASMAN, KIMBERLEY	70-73	K5-A514		N/A	INNER HALF SHAFT
CHRYSLER					
CENTURA					
KB, KC	75-78	RUJ-2038R		RUJ-2038R	6CYL
VALIANT					
AP5, AP6	5/63-3/66	114-67R		RUJ-2038R	
VC (MAN)	3/66-10/67	114-67R		RUJ-2038R	
VC (AUTO)	3/66-10/67	RUJ-2038R		RUJ-2038R	
VE-CM	66-81	RUJ-2038R		RUJ-2038R	EXC CHARGER D74
VJ, VK CHARGER	73-76	RUJ-2038R		114-232	D74 & H/D AXLE (SURE GRIP)
DAIHATSU					
HI-JET					
S38, 40, 60, 65, 70	72-84	K5-A510		K5-A510	
S75, 80	84-90	RUJ-1500		RUJ-1500	
S76 4WD	84-86	K5-A510		K5-A510	FRONT SHAFT
S76 4WD	84-86	RUJ-1500		RUJ-1500	REAR SHAFT
DELTA					
ALL	73-77	K5-A522		K5-A522	EXC SOME 3.0L MODELS (RUJ-2505)
ALL	77-8/84	RUJ-2505	RUJ-2505	RUJ-2505	
F SERIES					
F10	74-3/75	K5-A522		K5-A522	
ALL F SERIES & SCAT	4/75-85	RUJ-2023		RUJ-2023	
FEROZA 4WD					
E300, F310	10/88-1/99	RUJ-1500		RUJ-1500	FRONT SHAFT
E300, F310	10/88-1/99	K5-A522		K5-A522	REAR SHAFT
ROCKY 4WD					
ALL (WITH INT SNAP RING TYPE)	84-93	RUJ-2023		RUJ-2023	FRONT & REAR SHAFTS
ALL (WITH EXT CIRCLIP TYPE)	84-93	K5-A522		K5-A522	FRONT & REAR SHAFTS
F78 SPORTS WAGON	9/93-1/99	K5-A522		K5-A522	FRONT & REAR SHAFTS
TERIOS 4WD					
J100/J102 DX/SX WAGON	97-	RUJ-1500		RUJ-1500	FRONT & REAR SHAFTS

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
DAIMLER					
DOUBLE SIX					
SERIES 1, 2, 3	72-	K5-13XR	K5-13XR	K5-13XR	DRIVE SHAFT
SERIES 1, 2, 3	72-	K5-GB10R		K5-GB10R	HALF SHAFT
SOVEREIGN					
SERIES 1, 2, 3	68-86	K5-13XR	K5-13XR	K5-13XR	DRIVE SHAFT
SERIES 1, 2, 3	68-86	K5-GB10R		K5-GB10R	HALF SHAFT
SERIES 1, 2, 3	86-	K5-A757	K5-A757	K5-A757	DRIVE SHAFT
FIAT					
124, 125, 131, 132	68-82	K5-LGB80R		K5-LGB80R	
130	72-76	K5-L4R		K5-L4R	
FORD					
CAPRI					
4 CYL IMPORTED	69-73	K5-GB150	K5-GB150	K5-GB150	EXT CIRCLIP TYPE
4 CYL AUST BUILT	71-73	RUJ-1786R	RUJ-1786R	RUJ-1786R	INT SNAP RING TYPE
V6 IMPORTED	69-	K5-A655		K5-A655	*STAKED JOINT
V6 AUST BUILT	71-	RUJ-1786R	RUJ-1786R	RUJ-1786R	
CORTINA					
MK I, MK II	62-71	K5-GB150	K5-GB150	K5-GB150	EXT CIRCLIP TYPE
MK I, MK II	62-71	K5-A650		K5-A650	*STAKED JOINT
MK I, MK II AUST BUILT	69-71	RUJ-1786R		RUJ-1786R	INT SNAP RING TYPE
TC, TD, TE, TF 4 CYL ALL	71-82	RUJ-1786R	RUJ-1786R	RUJ-1786R	
TC, TD, TE, TF 6 CYL ALL	71/82	RUJ-2038R		RUJ-2038R	
ESCORT					
MK I 1100, 1300, 1558 T/CAM	66-3/70	K5-GB150		K5-GB150	
MK 1 1100	4/70-	RUJ-1786R		RUJ-1786R	
MK 1 1300	4/70-75	RUJ-1786R	RUJ-1786R	RUJ-1786R	
MK I, MK II SOME	66-81	K5-A650		K5-A650	*STAKED JOINT
MK II 1300, 1600, 2000	75-81	RUJ-1786R	^RUJ-1786R	RUJ-1786R	^REQ FOR 2 PIECE SHAFTS
FAIRLANE (6 CYL)					
ZA, ZB	67-69	K5-13XR		RUJ-2039	
ZC	69-70	RUJ-2038R		RUJ-2029	
ZD-NA	71-5/91	RUJ-2038R		RUJ-2038R	
NC	6/91-95	RUJ-2038R		RUJ-2038R	STEEL SHAFTS
NC-AU	6/91-02	K5-13XR		K5-13XR	ALUMINIUM SHAFTS

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
FAIRLANE (V8)					
ZA, ZB	67-69	<i>K5-13XR</i>		<i>RUJ-2039</i>	
ZC 302 3 spd man	69-70	<i>RUJ-2038R</i>		<i>RUJ-2029</i>	
ZC, ZD, ZF, ZG 351 FMZ AUTO	69-76	<i>K5-13XR</i>		<i>RUJ-2039</i>	
ZD, ZF, ZF 302	70-76	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
ZH 4.9L	76-79	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
ZH 5.8L	76-79	<i>RUJ-2038R</i>		<i>RUJ-2029</i>	INT SNAP RINGS
ZH5.8L	76-79	<i>K5-13XR</i>		<i>RUJ-2039</i>	EXT CIRCLIPS (SOME)
ZJ, ZK	79-84	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
NC	6/91-95	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	STEEL SHAFTS
NC-AU	6/91-02	<i>K5-13XR</i>		<i>K5-13XR</i>	ALUMINIUM SHAFTS
FALCON (6 CYL)					
XK-XR	60-67	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
XR, XT (TAXI H/D MODEL)	67-68	<i>K5-13XR</i>		<i>RUJ-2039</i>	
XT, XW 188 CU. IN	68-69	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
XW	69-70	<i>RUJ-2038R</i>		<i>RUJ-2029</i>	
XY-XC WITH DRUM BRAKES	70-79	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
XC WITH DISC BRAKES	76-79	<i>RUJ-2038R</i>		<i>RUJ-2029</i>	
ZD, XE, XF	79-88	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
XG UTE, VAN	93-96	<i>K5-13XR</i>		<i>K5-A530</i>	SOME HAVE X-OVER UJ ON REAR
XG-XH UTE, VAN	93-99	<i>K5-13XR</i>		<i>K5-13XR</i>	
EA MAN & 3 SPD AUTO	88-6/91	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	INT SNAP RINGS
EA AUTO SEDAN & MPFI WAGON	88-6/91	<i>K5-13XR</i>		<i>K5-13XR</i>	EXT CIRCLIPS
EA WAGON 4 SPD AUTO TBFI	88-6/91	<i>K5-13XR</i>		<i>K5-A530</i>	X-OVER UJ ON REAR
EB, ED, EF, EL, AU, AUII, AUIII	7/91-10/02	<i>K5-13XR</i>		<i>K5-13XR</i>	STEEL & ALUMINIUM SHAFTS
BA SEDAN, UTE ALL 6 CYL (EXCEPT TURBO)	11/02-	<i>GAJ-1-0</i>	<i>5-625XD</i>	<i>CV-860</i>	RUBBER COUPLING ON FRONT
BA MKII, BF SEDAN, UTE ALL 6 CYL (EXCEPT TURBO)	10/04-	<i>GAG03-001-0</i>	<i>5-625XD</i>	<i>CV-860</i>	RUBBER COUPLING ON FRONT
BA,BF SEDAN, UTE 6CYL TURBO WITH CENTRE U/JOINT	11/02-	<i>GAG03-001-0</i>	<i>5-625XD</i>	<i>CV-860</i>	RUBBER COUPLING ON FRONT
BA,BF SEDAN, UTE 6CYL TURBO WITHOUT U/JOINT	11/02-	<i>GAG03-001-0</i>	<i>CV-862</i>	<i>CV-861</i>	RUBBER COUPLING ON FRONT
BA,BF 6 CYL ALL INCL TURBO, WAGON	11/02-	<i>5-625XD</i>		<i>5-625XD</i>	
FALCON (V8)					
XR, XT, XW INC GT	66-69	<i>K5-13XR</i>		<i>RUJ-2039</i>	
XW, XY GTHO	69--71	<i>RUJ-3002</i>		<i>RUJ-3000</i>	
XY, XA, XB 302	70-76	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
XA, XB 302	72-76	<i>RUJ-2038R</i>		<i>RUJ-2029</i>	WITH 9" DIFF EXC GT351
XA, XB 351 INC GT	72-76	<i>K5-13XR</i>		<i>RUJ-2039</i>	
XA, XB 351GT WITH H/D SHAFT	72-76	<i>RUJ-3002</i>		<i>RUJ-3000</i>	
XC SEDAN WITH DRUM BRAKES	76-79	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	B/W DIFF
XC SEDAN WITH DISC BRAKES	76-79	<i>RUJ-2038R</i>		<i>RUJ-2029</i>	B/W DIFF
XC 351 WAGON, UTE, VAN	76-79	<i>K5-13XR</i>		<i>RUJ-2039</i>	

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
XD, XE	79-84	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
EB	7/91--93	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	(SOME) INT SNAP RINGS
EB, ED, EF, EL, AU, AUII, AUIII	7/91-10/02	<i>K5-13XR</i>		<i>K5-13XR</i>	
BA,BF V8 SEDAN WITH CENTRE U/JOINT	11/02-	<i>GAG03-001-0</i>	<i>5-625XD</i>	<i>CV-860</i>	RUBBER COUPLING ON FRONT BF SERIES II HAS GAD03-001-0
BA,BF V8 SEDAN WITH CENTRE CV JOINT	11/02-	<i>GAG03-001-0</i>	<i>CV-862</i>	<i>CV-861</i>	RUBBER COUPLING ON FRONT BF SERIES II HAS GAD03-001-0
BA,BF V8 WAGON ALL	11/02-	<i>5-625XD</i>		<i>5-625XD</i>	
LTD					
P5 LTD / LANDAU	73-76	<i>K5-13XR</i>		<i>RUJ-2039</i>	
P6 LTD	76-79	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
FC, FD, FE	5/79-5/88	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
DC, DF(SOME)	6/88-7/91	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	STEEL SHAFT INT SNAP RINGS
DF, DL, AU	8/91-03	<i>K5-13XR</i>		<i>K5-13XR</i>	ALUMINIUM SHAFT &/OR EXT CIRCLIPS
BRONCO, F100, F150, F250, F350					
ALL					
NOTE: RANGE OF JOINTS USED REQUIRES THAT ALL APPLICATIONS SHOULD BE MEASURED TO ENSURE CORRECT FITMENT OF UJS.					
COURIER					
2WD VC, MA, 2.0L, 2.2L	79-98	<i>RUJ-2023</i>	<i>RUJ-2023</i>	<i>RUJ-2023</i>	SOME VEHICLES HAVE STAKED JOINTS
PE, PG, 2.6L & 2.5DT	2/99-8/04	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	
PH, 2.6L & 2.5DT	9/04-10/06	<i>RUJ-3002</i>	<i>RUJ-3002</i>	<i>RUJ-3002</i>	
4X4 PC, PD	87-98	<i>RUJ-2049</i>		<i>RUJ-2049</i>	FRONT SHAFT
4X4 PC, PD	87-98	<i>RUJ-2023</i>	<i>RUJ-2023</i>	<i>RUJ-2023</i>	REAR SHAFT
4X4 PE, PG	99-8/04	<i>RUJ-2049</i>		<i>RUJ-2049</i>	FRONT SHAFT
4X4 PE, PG	99-8/04	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	REAR SHAFT
NOTE: SOME VEHICLES HAVE *STAKED JOINTS AND ARE UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
4X4 PH, 2.6L & 2.5DT	9/04-10/06	<i>K5-13XR</i>		<i>K5-13XR</i>	FRONT SHAFT
4X4 PH, 2.6L & 2.5DT	9/04-10/06	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	REAR SHAFT
4X4 4.0L V6 (SOUTH AFRICA PROD)	9/04-10/06	<i>K5-13XR</i>		<i>CV-881</i>	FRONT SHAFT
4X4 4.0L V6 (SOUTH AFRICA PROD)	9/04-10/06	<i>CV-881</i>	<i>CV-881</i>	<i>CV-881</i>	REAR SHAFT (3 CV JOINTS FITTED)
ECONOVAN (SPECTRON)					
EASYLOADER	79-88	<i>RUJ-1784</i>		<i>RUJ-1784</i>	DUAL REAR WHEELS
	83-	<i>RUJ-2049</i>		<i>RUJ-2049</i>	SINGLE REAR WHEELS
NOTE: SOME VEHICLES HAVE *STAKED JOINTS AND ARE UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
MAXI	85-	<i>RUJ-2023</i>		<i>RUJ-2023</i>	
SPECTRON 4X4	85-88	<i>RUJ-2049</i>		<i>RUJ-2049</i>	FRONT SHAFT
SPECTRON 4X4	85-88	<i>RUJ-2023</i>		<i>RUJ-2023</i>	REAR SHAFT
EXPLORER					
4X4 WAGON	96-	<i>K5-13XR</i>		<i>K5-13XR</i>	FRONT SHAFT W/SPORT TRAC
	96-	<i>RUJ-3002</i>		<i>RUJ-3002</i>	REAR SHAFT
	02-	<i>K5-13XR</i>		<i>CV-860</i>	FRONT SHAFT

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
RAIDER					
4X4	91-	RUJ-2049		RUJ-2049	FRONT SHAFT
	91-	RUJ-2023	RUJ-2023	RUJ-2023	REAR SHAFT
RANGER					
2WD, PJ 2.5DT	11/06-	5-618XD	5-618XD	5-618XD	
4WD, PJ 3.0DT	11/06-	K5-13XR		K5-13XR	FRONT SHAFT
	11/06-	5-618XD	5-618XD	5-618XD	REAR SHAFT ^
^ HEAVY DUTY LUBE IN CAP OPTION ALSO AVAILABLE PART # 5-618-1XD .					
4WD, PX 2.2, 3.2	10/11-	5-627XD	5-627XD	5-627XD	REAR SHAFT
TRANSIT					
V21, V22, V24, V33 4CYL MAN	65-74	K5-L4R		K5-L4R	
V21, V22, V24, V33, V51, V54, V65 4CYL AUTO	68-74	K5-13XR		K5-13XR	
V51, V54, V65 4CYL MAN	65-74	K5-13XR		K5-13XR	
V21, V23, V33, V51(AUST PROD)	78-82	RUJ-2038R		RUJ-2038R	
V24, V51, V54(AUST PROD) LWB	78-82	RUJ-2030R	RUJ-2030R	RUJ-2030R	SINGLE & DUAL REAR WHEELS
NEW TRANSITS	94-		CV-856		SOME 94mm Ø CV (INCL BOOT KIT)
	94-		CV-288		SOME 108mm Ø CV (INCL BOOT KIT)
	01-	*GAF01-003-0			SOME *RUBBER COUPLING FRONT
NOTE: TRANSITS HAVE MANY DRIVESHAFT CONFIGURATION VARIANTS. ALL HAVE STAKED UNIVERSAL JOINTS AND ARE UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
MAVERICK					
DA 4X4	87-92	RUJ-2028		RUJ-2028	FRONT SHAFT
	87-92	RUJ-3007		RUJ-3007	REAR SHAFT

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
GREAT WALL					
V200					
2.0L 2WD	8/11-	K5-A842	K5-A842	K5-A842	
2.0L 4WD	8/11-	K5-A843		K5-A843	FRONT SHAFT
	8/11-	K5-A842	K5-A842	K5-A842	REAR SHAFT
V240					
2.4L 2WD	6/09-	K5-A842	K5-A842	K5-A842	
2.4L 4WD	6/09-	K5-A843		K5-A843	FRONT SHAFT
	6/09-	K5-A842	K5-A842	K5-A842	REAR SHAFT
X200					
2.0L 4WD AUTO	1/12-	K5-A842		K5-A842	FRONT SHAFT AND REAR SHAFT
2.0L 4WD MAN	10/11-	K5-A757		K5-A757	FRONT SHAFT
	10/11-	K5-A842		K5-A842	REAR SHAFT
X240					
2.4L 4WD	10/09-	K5-A842		K5-A842	FRONT SHAFT AND REAR SHAFT

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
HOLDEN					
EARLY MODELS (6 CYL)					
FX-FJ	48-56	<i>RUJ-1786R</i>		<i>RUJ-1764</i>	
FB, FC, FE, EK, EJ	56-63	<i>RUJ-1786R</i>		<i>RUJ-1758</i>	
EH, HD, HR	63-67	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
HK (SEE NOTES)	68-69	<i>RUJ-1786R</i>		<i>RUJ-2030R</i>	4 SP MAN WITH 3.08 RATIO DIFF ONLY
HK, HT, HG, HQ, HJ, HX, HZ	68-80	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
HJ, HX, HZ	74-80	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	WITH SALISBURY DIFF
WB	80-85	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	UTE, PANEL VAN
HQ ONE TONNER (SOME)	71-73	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	SOME
HQ-WB ONE TONNER	71-85	<i>RUJ-2500R</i>		<i>RUJ-2500R</i>	
EARLY MODELS (V8)					
HK 307 MAN	68-69	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
HK, HT 307 AUTO	68-70	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	WITH BANJO DIFF
HK, HT 307 AUTO	68-70	<i>RUJ-2030R</i>		<i>RUJ-2032</i>	WITH SALISBURY DIFF
HK, HT 327	68-70	<i>RUJ-2030R</i>		<i>RUJ-2032</i>	
HT, HG 253 MAN & AUTO	69-71	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	
HT 308 MAN	69-70	<i>RUJ-2500R</i>		<i>RUJ-2502</i>	
HG 308	70-71	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	WITH BANJO DIFF
HG 308	70-71	<i>RUJ-2030R</i>		<i>RUJ-2032</i>	WITH SALISBURY DIFF
HG 350 MAN	70-71	<i>RUJ-2500R</i>		<i>RUJ-2502</i>	
HG 350 AUTO	70-71	<i>RUJ-2030R</i>		<i>RUJ-2032</i>	
HQ 253,308	71-74	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	
HQ 350	71-74	<i>RUJ-2500R</i>		<i>RUJ-2500R</i>	
HJ, HX, HZ 253	74-80	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	
HJ, HX, HZ 308	74-80	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	EXCEPT TURBO 400
HJ, HX, HZ 308 TURBO 400	74-80	<i>RUJ-2500R</i>		<i>RUJ-2030R</i>	
WB	80-85	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	EXCEPT ONE TONNER
HQ-WB ONE TONNER	71-85	<i>RUJ-2500R</i>		<i>RUJ-2500R</i>	
COLORADO					
4X4	11-				FRONT SHAFT
4X4	11-	<i>5-178X</i>	<i>5-178X</i>	<i>5-178X</i>	REAR SHAFT
COMMODORE (4 CYL)					
VC, VH	80-83	<i>RUJ-1786R</i>	<i>CV-856</i>	<i>RUJ-1786R</i>	
COMMODORE (6 CYL)					
VB, VC, VH	78-84	<i>RUJ-1786R</i>	<i>CV-856</i>	<i>RUJ-1786R</i>	EXCEPT WITH H/DUTY REAR AXLE
VB, VC, VH	78-84	<i>RUJ-2030R</i>	<i>CV-855A</i>	<i>RUJ-2030R</i>	WITH HEAVY DUTY REAR AXLE
VK	84-86	<i>RUJ-1786R</i>	<i>CV-856</i>	<i>RUJ-1786R</i>	EXCLUDES EFI MODELS
VK EFI, VL	84-88	<i>RUJ-2030R</i>	<i>CV-855A</i>	<i>RUJ-2030R</i>	INCLUDES VL TURBO
VN, VP, VR, VS & VT AUTO	88-98	<i>RUJ-2038R</i>	<i>CV-855A</i>	<i>RUJ-2038R</i>	

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
VT MAN	96-9/00	RCA-1059	CV-855A	RUJ-2038R	FRONT HAS RUBBER DRIVE CPLG
VX, VY, VZ, VE MAN	10/00-	RCA-1060	STAKED	RCA-1061	FRONT & REAR RUBBER DRIVE CPLGS
VX, VY, VZ, VE AUTO	10/00-	RCA-1060	STAKED	RCA-1060	FRONT & REAR RUBBER DRIVE CPLGS
VX, VY, VZ AUTO SUPERCHARGED V6	10/00-	RCA-1061	STAKED	RCA-1061	FRONT & REAR RUBBER DRIVE CPLGS
NOTE: ALL VX, VY, VZ, VE'S HAVE STAKED MIDDLE UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
COMMODORE (V8)					
VB, VC, VH 253	78-84	RUJ-2030R	CV-855A	RUJ-2030R	
VB, VC, VH 308	78-84	RUJ-2030R	CV-855A	RUJ-2030R	EXCEPT TURBO 400
VB, VC, VH 308 TURBO 400 ONLY	78-84	RUJ-2500R	CV-855A	RUJ-2030R	
VK, VL	84-88	RUJ-2030R	CV-855A	RUJ-2030R	
VP, VR, VS & VT AUTO	88-9/00	RUJ-2038R	CV-855A	RUJ-2038R	
VT SERIES 1 V8 MANUAL	9/97-9/00	RCA-1058	CV-855A	RUJ-2038R	FRONT HAS RUBBER DRIVE CPLG
VT SERIES 2 5.7L GEN 3 (HI PERF) MAN	98-9/00	10005422	CV-855A	RUJ-2038R	FRONT HAS RUBBER DRIVE CPLG
VX,VY,VZ	10/00-	RCA-1061	STAKED	RCA-1061	FRONT & REAR RUBBER DRIVE CPLGS
VE	10/06-	RCA-1062	STAKED	RCA-1062	FRONT & REAR RUBBER DRIVE CPLGS
NOTE: ALL VX, VY, VZ, VE'S HAVE STAKED MIDDLE UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
DROVER					
QG	85-87	RUJ-1795		RUJ-1795	IF INTERNAL SNAP RINGS
QG	85-87	K5-A556		K5-A556	IF EXTERNAL CIRCLIPS
FRONTERA					
2.0L 2 DOOR	96-	K5-L4R		K5-L4R	FRONT & REAR SHAFTS
GEMINI					
TC, TD, TE, TF, TG, TX PETROL	75-	RUJ-1786R		RUJ-1786R	
NOTE: DIESEL GEMINIS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
JACKEROO					
UBS (SWB & LWB)	81-7/88	K5-LGB80R		RUJ-2033	FRONT SHAFT
UBS (SWB)	81-7/88	RUJ-2033		RUJ-2033	REAR SHAFT
UBS (LWB)	81-7/88	RUJ-2033	RUJ-2033	RUJ-2033	REAR SHAFT
UBS (SWB & LWB)	8/88-5-98	RUJ-2036		RUJ-2036	FRONT SHAFT
UBS (SWB)	8/88-5-98	RUJ-2036		RUJ-2036	REAR SHAFT
UBS (LWB)	8/88-5-98	RUJ-2036	RUJ-2036	RUJ-2036	REAR SHAFT
UVS 3.5L V6 AND TURBO DIESEL	6/98-	RUJ-3011		RUJ-3011	FRONT SHAFT
	6/98-	RUJ-3011	RUJ-3011	RUJ-3011	REAR SHAFT
UVS MONTEREY (WITH TORQUE DEMAND ONLY)	6/98-	RUJ-2036		RUJ-2036	FRONT SHAFT
	6/98-	RUJ-2036	RUJ-2036	RUJ-2036	REAR SHAFT
PIAZZA					
2.0L TURBO	86-88	STAKED		STAKED	
NOTE: PAIZZA'S HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
RODEO 2WD					
KB,KBD 20 SERIES	75-88	<i>K5-LGB80R</i>	<i>K5-LGB80R</i>	<i>K5-LGB80R</i>	
TF SERIES	8/88-	<i>RUJ-2036</i>	<i>RUJ-2036</i>	<i>RUJ-2036</i>	
TF R9 3.2 V6	6/98-03	<i>RUJ-3011</i>	<i>RUJ-3011</i>	<i>RUJ-3011</i>	
RODEO 4WD					
KB,KBD 20 SERIES	79-7/88	<i>K5-LGB80R</i>		<i>RUJ-2033</i>	FRONT SHAFT
	79-7/88	<i>RUJ-2033</i>	<i>RUJ-2033</i>	<i>RUJ-2033</i>	REAR SHAFT
TF SERIES	8/88-	<i>RUJ-2033</i>		<i>RUJ-2033</i>	FRONT SHAFT
	8/88-	<i>RUJ-2033</i>	<i>RUJ-2033</i>	<i>RUJ-2033</i>	REAR SHAFT
^ SOME TF MODELS CAN HAVE NON LUBE OPTION PART # <i>RUJ-2036</i> .					
TF R9 3.2 V6, TURBO DIESEL	6/98-03	<i>RUJ-2036</i>		<i>RUJ-2036</i>	FRONT SHAFT
	6/98-03	<i>RUJ-3011</i>	<i>RUJ-2036</i>	<i>RUJ-2036</i>	REAR SHAFT
RA TURBO DIESEL	03-	<i>RUJ-2036</i>		<i>RUJ-2036</i>	FRONT SHAFT
	03-	<i>RUJ-3011</i>	<i>RUJ-3011</i>	<i>RUJ-3011</i>	REAR SHAFT
SCURRY					
	85-87	<i>RUJ-1501</i>		<i>RUJ-1501</i>	
SHUTTLE					
WFR11, WFR51	82-86	<i>K5-LGB80R</i>		<i>K5-LGB80R</i>	IF EXTERNAL CIRCLIPS
WFR11, WFR51	82-90	<i>RUJ-2033</i>		<i>RUJ-2033</i>	IF INTERNAL SNAP RINGS
STATESMAN					
HQ 308 V8	71-74	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	
HQ 350 V8	71-74	<i>RUJ-2500R</i>		<i>RUJ-2500R</i>	
HJ, HX, HZ	74-79	<i>RUJ-2500R</i>		<i>RUJ-2030R</i>	
WB	80-85	<i>RUJ-2030R</i>		<i>RUJ-2030R</i>	
VQ, VR, VS STATESMAN / CAPRICE	90-6/99	<i>RUJ-2038R</i>	<i>CV-855A</i>	<i>RUJ-2038R</i>	
WH SERIES I STATESMAN / CAPRICE	7/99-8/01	<i>RUJ-2038R</i>	<i>CV-855A</i>	<i>RUJ-2038R</i>	
WH SERIES II STATESMAN / CAPRICE V6 MPFI, WM	9/01-	<i>RCA-1060</i>	<i>STAKED</i>	<i>RCA-1060</i>	FRONT & REAR RUBBER DRIVE CPLGS
WH SERIES II, WK STATESMAN / CAPRICE V6 S/C, V8	9/01-	<i>RCA-1061</i>	<i>STAKED</i>	<i>RCA-1061</i>	FRONT & REAR RUBBER DRIVE CPLGS
WM V8	9/06-	<i>RCA-1062</i>	<i>STAKED</i>	<i>RCA-1062</i>	
NOTE: WH-WM SERIES II, WK MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
SUBURBAN					
K8 V8 DIESEL TURBO	98-01	<i>5-178X</i>		<i>5-178X</i>	
K8 5.7L V8 PETROL	98-01	<i>RUJ-3002</i>		<i>RUJ-3000</i>	

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
TORANA (4 CYL)					
HB	67-69	K5-LGB80R		K5-LGB80R	IF EXTERNAL CIRCLIPS
HB	67-69	RUJ-1786R		RUJ-1786R	IF INTERNAL SNAP RINGS
LC, LJ, TA, LH, LX, UC (SUNBIRD)	70-80	RUJ-1786R		RUJ-1786R	
TORANA (6 CYL)					
LC, LJ, LH, LX, UC	70-80	RUJ-1786R		RUJ-1786R	
TORANA (V8)					
LH, LX	74-78	RUJ-2030R		RUJ-2030R	
HYUNDAI					
SANTA FE					
V6 SOME MODELS		GAH04-001-0		K5-A836	IF EXTERNAL CIRCLIPS
CAN HAVE		GAH04-001-0		STAKED	
TERRACAN					
	04-07	K5-A836		CV-874	FRONT SHAFT
	04-07	RUJ-3006		RUJ-3006	REAR SHAFT
TUCSON					
SOME MODELS		GAH04-001-0		K5-A836	IF EXTERNAL CIRCLIPS
CAN HAVE		GAH04-001-0		RUJ-2049	IF INTERNAL SNAP RINGS
CAN HAVE		GAH04-001-0		STAKED	
NOTE: SOME MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
IVECO					
DAILY					
35S13 4 CYL 2.3L DISESL 93Kw	5/15-	GAV01-014-0			SUIT FICFLF11B ENGINE (6 HOLE)
50C17 4 CYL 3.0L DISESL 125Kw	5/15-	GAF05-001-0			SUIT FICFLF11H ENGINE (6 HOLE)
50C17 4 CYL 3.0L DISESL 150Kw	5/15-	GAF05-002-0			SUIT FICFLF11G ENGINE (8 HOLE)
JAGUAR					
XJ96, XJ12, XJS	68-86	K5-13XR	K5-13XR	K5-13XR	
XJ96, XJ12, XJS	87-	K5-A757	K5-A757	K5-A757	
XJ96, XJ12, XJS	ALL	K5-GB10R			HALF SHAFT REAR
JEEP					
J10, J20 4X4	74-88	K5-13XR		K5-13XR	FRONT & REAR SHAFTS
		5-297X			WHEEL JOINTS FRONT AXLE
CHEROKEE, GRAND CHEROKEE	88-98	K5-13XR		K5-13XR	FRONT & REAR SHAFTS
		5-74X			WHEEL JOINTS FRONT AXLE WITH ABS
		5-297X			WHEEL JOINTS FRONT AXLE NON ABS

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
CHEROKEE 3.7L AUTO	2002	K5-13XR		K5-13XR	FRONT & REAR SHAFTS
		5-74X			WHEEL JOINTS FRONT AXLE
WRANGLER					
CJ, YJ	94-	K5-13XR		K5-13XR	FRONT & REAR SHAFTS
		5-74X			WHEEL JOINTS FRONT AXLE
KIA					
CERES					
	96-00	RUJ-2049		RUJ-2049	
SPORTAGE					
4X4	11/96-	RUJ-2049		RUJ-2049	FRONT & REAR SHAFTS
2.7L V6, 4X4	2005	GAH04-001-0	CV-868	RUJ-2049	
LADA					
NIVA					
4X4 WAGON (MOST 23.8mm CAP)	83-92	K5-LGB80R		K5-LGB80R	FRONT & REAR SHAFTS
4X4 WAGON (SOME 28mm CAP)	83-92	K5-A676		K5-A676	FRONT & REAR SHAFTS
4X4 WAGON	92-99	K5-A676		K5-A676	FRONT & REAR SHAFTS
LEYLAND / MORRIS					
MINI					
850, 1100, COOPER AUTO	59-78	K5-GB150			INNER FWD SHAFT
COOPER S FROM BODY 1918		K5-GB150			INNER FWD SHAFT
NOMAD					
1300, 1500 MANUAL	69-72	114-2101			INNER FWD SHAFT
1300, 1500 AUTO	69-72	RUJ-1786R			INNER FWD SHAFT
MARINA					
4 CYL	72-75	K5-GB150		K5-GB150	
6 CYL	72-75	RUJ-1786R		RUJ-1786R	
P76					
6 CYL, 3 SPEED MANUAL, AUTO	72-75	RUJ-1786R		RUJ-1786R	
6 CYL, 4 SPEED MANUAL	73-75	RUJ-2030R		RUJ-1786R	
V8	73/75	RUJ-2030R		RUJ-2030R	
MG					
MGB, MGB GT	62-81	K5-LGB80R		K5-LGB80R	
MGC, MGC GT, MGC V8	67-76	K5-13XR		K5-13XR	

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
MAZDA					
1200, 1300	67-77	<i>RUJ-1784</i>		<i>RUJ-1784</i>	
1500, 1800	67-74	<i>RUJ-1784</i>		<i>RUJ-1784</i>	
CAPELLA					
1600	70-78	<i>RUJ-1784</i>	<i>RUJ-1784</i>	<i>RUJ-1784</i>	SOME HAVE A TWO PIECE SHAFT
121, 121L					
	76-80	<i>RUJ-2049</i>	<i>RUJ-2049</i>	<i>RUJ-2049</i>	
323					
RWD	77-85	<i>RUJ-1500</i>		<i>RUJ-1500</i>	
RWD SOME		<i>RUJ-1784</i>	<i>RUJ-1784</i>	<i>RUJ-1784</i>	
626					
CB2	78-83	<i>RUJ-1784</i>	<i>RUJ-1784</i>	<i>RUJ-1784</i>	
808, SAVANNA					
	72-77	<i>RUJ-1784</i>		<i>RUJ-1784</i>	
929, 929L					
LA2-LA4	74-84	<i>RUJ-1784</i>	<i>RUJ-1784</i>	<i>RUJ-1784</i>	
HB, HBES	84-87	<i>STAKED</i>		<i>STAKED</i>	
HC, HD-E	87-97	<i>STAKED</i>		<i>STAKED</i>	
NOTE: SOME 929 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
BONGO					
VAN	68-78			<i>RUJ-2023</i>	HALF SHAFTS
MPV					
3.0L V6	4/96-	<i>STAKED</i>	<i>STAKED</i>	<i>STAKED</i>	
MX5					
	89-	<i>STAKED</i>	<i>STAKED</i>	<i>STAKED</i>	
NOTE: MPV & MX5 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
RX100, RX-2, RX-3, RX-4					
	67-78	<i>RUJ-1784</i>	<i>RUJ-1784</i>	<i>RUJ-1784</i>	SOME HAVE A TWO PIECE SHAFT
RX-5					
	78-82	<i>RUJ-2049</i>	<i>RUJ-2049</i>	<i>RUJ-2049</i>	
RX-7					
SERIES 1	79-82	<i>RUJ-1784</i>	<i>RUJ-1784</i>	<i>RUJ-1784</i>	
SERIES 2 & 3	82-85	<i>RUJ-2049</i>	<i>RUJ-2049</i>	<i>RUJ-2049</i>	
SERIES 2 & 3 SOME	82-85	<i>STAKED</i>	<i>STAKED</i>	<i>STAKED</i>	
SERIES 4, 5, 6	86-99	<i>STAKED</i>	<i>STAKED</i>	<i>STAKED</i>	
NOTE: SOME RX-7 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
RX-8	03-	STAKED	STAKED	STAKED	
NOTE: RX-8 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
B SERIES UTES 2WD					
B1600, B1800 2WD	71-82	RUJ-2023	RUJ-2023	RUJ-2023	
B2000 2WD	82-6/88	RUJ-2023	RUJ-2023	RUJ-2023	
B2200 2WD	6/85-12/86	RUJ-2049	RUJ-2049	RUJ-2049	
B2200 2WD	1/87-10/91	RUJ-2023	RUJ-2023	RUJ-2023	
B2200 2WD SOME	1/87-10/91	STAKED	RUJ-2023	STAKED	
NOTE: SOME B2200 MODELS HAVE STAKED UNIVERSAL JOINTS FRONT & REAR, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
B SERIES UTES 4WD					
B2600 4X4	3/87-10/91	RUJ-2049		RUJ-2049	FRONT SHAFT
B2600 4X4	3/87-10/91	RUJ-2023	RUJ-2023	RUJ-2023	REAR SHAFT
B2600 4X4	3/87-10/91	STAKED	RUJ-2023	STAKED	REAR SHAFT
NOTE: SOME B2600 MODELS HAVE STAKED UNIVERSAL JOINTS FRONT & REAR, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
BRAVO 2WD					
B2200, B2500, B2600 2WD	11/91-98	RUJ-2023	RUJ-2023	RUJ-2023	
B2200, B2500, B2600 2WD SOME	11/91-98	STAKED	STAKED	STAKED	
NOTE: SOME MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
B2500, B2600	2/99-8/04	K5-13XR	K5-13XR	K5-13XR	
B2500, B2600	9/04-10/06	RUJ-3002	RUJ-3002	RUJ-3002	
BRAVO 4WD					
B2500, B2600 4X4	11/91-98	RUJ-2049		RUJ-2049	FRONT SHAFT
B2500, B2600 4X4	11/91-98	RUJ-2023	RUJ-2023	RUJ-2023	REAR SHAFT
B2500, B2600 4X4	99-8/04	RUJ-2049		RUJ-2049	FRONT SHAFT
B2500, B2600 4X4	99-8/04	K5-13XR	K5-13XR	K5-13XR	REAR SHAFT
B2500, B2600 4X4	99-8/04	STAKED	STAKED	STAKED	REAR SHAFT
NOTE: SOME MODELS HAVE STAKED UNIVERSAL JOINTS, IN REAR SHAFT UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
B2500, B2600 4X4	9/04-10/06	K5-13XR		K5-13XR	FRONT SHAFT
B2500, B2600 4X4	9/04-10/06	K5-13XR	K5-13XR	K5-13XR	REAR SHAFT
B4000 V6 4X4 (SOUTH AFRICA PROD)	05-06	K5-13XR		CV-881	FRONT SHAFT
B4000 V6 4X4 (SOUTH AFRICA PROD)	05-06	CV-881	CV-881	CV-881	REAR SHAFT
BT-50 2WD					
2.5DT, 3.0TD 2WD	11/06-10/11	5-618XD	5-618XD	5-618XD	HD LUBE IN CAP
2.5DT, 3.0TD 2WD	11/06-10/11	5-618-1XD	5-618-1XD	5-618-1XD	HD LUBE IN CAP OPTION
2.2L, 3.2L 2WD	11/11-				

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
BT-50 4WD					
3.0DT 4X4	11/06-	<i>K5-13XR</i>		<i>K5-13XR</i>	FRONT SHAFT
3.0DT 4X4	11/06-	<i>5-618XD</i>	<i>5-618XD</i>	<i>5-618XD</i>	REAR SHAFT
3.0DT 4X4	11/06-	<i>5-618-1XD</i>	<i>5-618-1XD</i>	<i>5-618-1XD</i>	HD LUBE IN CAP OPTION
2.2L, 3.2L 4X4	11/11-				FRONT SHAFT
2.2L, 3.2L 4X4	11/11-				REAR SHAFT
E SERIES VANS					
E1300, E1400, E1600, E1800, E2200	71-12/83	<i>RUJ-1784</i>		<i>RUJ-1784</i>	INTERNAL SNAP RINGS
E1300, E1400, E1600, E1800, E2200	71-12/83	<i>STAKED</i>		<i>STAKED</i>	SOME
E1800, E2200	84-	<i>RUJ-2049</i>		<i>RUJ-2049</i>	INTERNAL SNAP RINGS
E1800, E2200	84-	<i>STAKED</i>		<i>STAKED</i>	SOME
E2000	84-	<i>RUJ-1784</i>		<i>RUJ-1784</i>	WITH DUAL REAR WHEELS
E2000	84-	<i>RUJ-2049</i>		<i>RUJ-2049</i>	WITH SINGLE REAR WHEELS
E2000	84-	<i>STAKED</i>		<i>STAKED</i>	SOME
NOTE: SOME E SERIES VAN MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
TRIBUTE					
AWD V6		<i>K5-13XR</i>		<i>K5-13XR</i>	
T SERIES TRUCKS					
T2000	5/81-12/82	<i>RUJ-3003</i>	<i>RUJ-3003</i>	<i>RUJ-3003</i>	
T2600	4/85-12/88	<i>RUJ-3003</i>	<i>RUJ-3003</i>	<i>RUJ-3003</i>	
T3000	6/81-10/84	<i>RUJ-3003</i>	<i>RUJ-3003</i>	<i>RUJ-3003</i>	
T3500	9/87-4/97	<i>RUJ-3003</i>	<i>RUJ-3003</i>	<i>RUJ-3003</i>	
T4000	11/89-6/00	<i>RUJ-4009</i>	<i>RUJ-4009</i>	<i>RUJ-4009</i>	
T4100	6/81-9/89	<i>RUJ-4009</i>	<i>RUJ-4009</i>	<i>RUJ-4009</i>	
T4600	6/92-	<i>RUJ-4009</i>	<i>RUJ-4009</i>	<i>RUJ-4009</i>	

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
mitsubishi					
CHALLENGER 4WD					
K96 3.0L	12/97-3/07	K5-A556		CV JOINT	FRONT SHAFT CVJ NOT SERVICEABLE
K96 3.0L	12/97-3/07	RUJ-3006		RUJ-3006	REAR SHAFT
KH4 2.5L	11/09-	RUJ-2045		CV JOINT	FRONT SHAFT CVJ NOT SERVICEABLE
KH4 2.5L	11/09-	RUJ-4010		RUJ-4010	REAR SHAFT
GALANT					
GA	8/71-10/72	K5-A556		K5-A556	UP TOP CF15
GA, GB, GC, GD	11/72-12/77	RUJ-1786R		RUJ-1786R	GA (CF16 ON) GC, GD EXCL HARDTOP
GC, GD HARDTOP	7/74-12/77	K5-A556		K5-A556	HARDTOP
GALANT					
LA, LB, LC	9/74-8/81	K5-A556		K5-A556	
L200 EXPRESS UTE					
MA, MB, MC, MD 1/2 TONNE 2WD	3/80-10/86	K5-A556	K5-A556	K5-A556	
MA, MB, MC, MD 1 TONNE 2WD	3/80-10/86	RUJ-2045	RUJ-2045	RUJ-2045	
MA, MB, MC, MD 4WD	6/81-10/86	K5-A556		K5-A556	FRONT SHAFT
MA, MB, MC, MD 4WD	6/81-10/86	RUJ-2045		RUJ-2045	REAR SHAFT
L300 EXPRESS VAN & STARWAGON					
SA-SE 2WD	4/80-9/86	K5-A556		K5-A556	
SC-WA 4WD	5/83-	K5-A556		K5-A556	FRONT SHAFT
SC-WA 4WD	5/83-	RUJ-2045		RUJ-2045	REAR SHAFT
SF-WA 2WD 2.0L	10/86-	K5-A556		K5-A556	
SF-WA 2WD 2.4L PETROL, 2.5L DIESEL	10/86-	RUJ-2045		RUJ-2045	
PAJERO					
NA, NG V6 SWB	83-90	K5-A556		K5-A556	FRONT SHAFT
NA, NG V6 SWB	83-90	RUJ-2045		RUJ-2045	REAR SHAFT
ND, NG V6 LWB	86-91	K5-A556		K5-A556	FRONT SHAFT LWB ONLY
ND, NG V6 LWB	86-91	RUJ-3006		RUJ-3006	REAR SHAFT LWB ONLY
NH, NJ	5/91-97	K5-A556		K5-A556	FRONT SHAFT
NH, NJ	5/91-97	RUJ-3006		RUJ-3006	REAR SHAFT
NH, NJ TURBO DIESEL	5/91-97	RUJ-3006		RUJ-3006	FRONT SHAFT
NH, NJ TURBO DIESEL	5/91-97	RUJ-3006		RUJ-3006	REAR SHAFT
NK, NM	11/96-11/02	K5-A556		K5-A556	FRONT SHAFT
NK, NM DIESEL	11/96-11/02	RUJ-3006		RUJ-3006	REAR SHAFT
NK, NM V6 PETROL & TURBO DIESEL	11/96-11/02	RUJ-4010		RUJ-4010	REAR SHAFT

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
SCORPION					
GE	3/78-6/79	K5-A556		K5-A556	
GH	7/79-10/80	RUJ-1786R		RUJ-1786R	
GJ, GK, GL MANUAL	11/80-9/85	RUJ-1786R		RUJ-1786R	
GJ, GK, GL AUTO MOST	11/80-9/85	RUJ-2045		RUJ-2045	76.5mm ACROSS CAPS
GJ, GK, GL AUTO SOME	11/80-9/85	K5-A556		K5-A556	63.8mm ACROSS CAPS
SIGMA					
GE, GH, GJ, GK, GN	10/77-12/87	RUJ-1786R		RUJ-1786R	
STARION					
JA, JB, JD	82-87	RUJ-2045	RUJ-2045	RUJ-2045	
TRITON 2WD					
ME, MF, MG, MH, MJ 4CYL 2WD	86-	RUJ-2045	RUJ-2045	RUJ-2045	76.5mm ACROSS CAPS
ME, MF, MG, MH, MJ 4CYL 2WD SOME	86-	K5-A556	K5-A556	K5-A556	63.8mm ACROSS CAPS
MJ V6 2WD	9/92-	RUJ-3006	RUJ-3006	RUJ-3006	
TRITON 4WD					
ME, MF, MG 4X4	86-91	K5-A556		K5-A556	FRONT SHAFT
ME, MF, MG 4X4	86-91	RUJ-2045	RUJ-2045	RUJ-2045	REAR SHAFT
ME, MF, MG 4X4 SOME V6 & T/DIESEL	86-91	RUJ-3006	RUJ-3006	RUJ-3006	REAR SHAFT
MH, MJ 4X4	9/92-	K5-A556		K5-A556	FRONT SHAFT
MH, MJ 4X4	9/92-	RUJ-3006	RUJ-3006	RUJ-3006	REAR SHAFT
ML, MN 4X4		RUJ-2045		RUJ-2045	FRONT SHAFT
MK, ML 4X4 V6 & TURBO DIESEL		RUJ-4010	RUJ-4010	RUJ-4010	REAR SHAFT

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
NISSAN					
1000					
B10, B20	67-70	<i>RUJ-1780</i>		<i>RUJ-1780</i>	
1200					
B120 (JAP PRODUCTION)	70-74	<i>RUJ-1780</i>		<i>RUJ-1780</i>	
B120 (AUST PRODUCTION)	70-74	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
120Y, SUNNY					
B210, VB210, B310 (AUST PRODUCTION)	74-79	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
B210, VB210, B310 (JAP PRODUCTION)	74-81	<i>RUJ-1780</i>		<i>RUJ-1780</i>	<i>SOME JAP PRODUCTION</i>
B210, VB210, B310 (JAP PRODUCTION)	74-81	<i>K5-A648</i>		<i>K5-A648</i>	<i>MOST JAP PRODUCTION</i>
NOTE: MOST 120Y JAP PRODUCTION MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
1600, 180B, 200B					
510, 610B, 810B (AUST PRODUCTION)	68-81	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
510, 610B, 810B (JAP PRODUCTION)	68-81	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	
510, 610B, 810B	68-81			<i>RUJ-2028</i>	<i>IRS HALF SHAFTS</i>
2000, 2300, 2400	66-73	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
240C, 260C, 280C, 240K	73-77	<i>RUJ-1781</i>	<i>RUJ-1781</i>	<i>RUJ-1781</i>	
240K	73-77			<i>RUJ-2028</i>	<i>IRS HALF SHAFTS</i>
200SX	94-	<i>STAKED</i>		<i>STAKED</i>	
NOTE: 200SX MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
240Z, 260Z, 280Z, 280ZX	67-86	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
240Z, 260Z, 280Z, 280ZX	67-86			<i>RUJ-2028</i>	<i>IRS HALF SHAFTS</i>
300ZX					
Z31, Z32, Z31 TURBO	86-97	<i>STAKED</i>		<i>STAKED</i>	
NOTE: 300ZX MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
BLUEBIRD					
910	81-86	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	
GAZELLE					
S12	86-97	<i>STAKED</i>		<i>STAKED</i>	
NOTE: GAZELLE MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
NOMAD	86-92	<i>K5-A648</i>		<i>K5-A648</i>	
NOTE: NOMAD MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
PINTARA					
R31 MANUAL	86-90	<i>100-R231</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUBBER COUPLING ON FRONT</i>
R31 AUTO	86-90	<i>100-R249</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUBBER COUPLING ON FRONT</i>

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
SKYLINE	78-80	<i>RUJ-1781</i>	<i>RUJ-1781</i>	<i>RUJ-1781</i>	
	78-80			<i>RUJ-2028</i>	IRS HALF SHAFTS
R30	81-86	STAKED		STAKED	
NOTE: R30 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
R31	86-88	<i>RUJ-2030R</i>	<i>CV-856</i>	<i>RUJ-2030R</i>	
R31	6/88-91	<i>RUJ-2038R</i>	<i>CV-855A</i>	<i>RUJ-2038R</i>	
STANZA					
A10 (JAP PRODUCTION)	78-83	<i>RUJ-1781</i>	<i>RUJ-1781</i>	<i>RUJ-1781</i>	
A10 (AUST PRODUCTION)	78-83	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	
COMMERCIAL					
520, 620, 720 SOME	65-68	<i>K5-LGB80R</i>		<i>K5-LGB80R</i>	
520, 620, 720 2WD & 4WD	68-83	<i>RUJ-1781</i>	<i>RUJ-1781</i>	<i>RUJ-1781</i>	
720	4/83-85	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	
CABALL	71-81	<i>RUJ-2028</i>		<i>RUJ-2028</i>	
CABSTAR					
PF22 PETROL	82-86	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
EF22, SD25 DIESEL	82-86	<i>RUJ-2040</i>		<i>RUJ-2040</i>	
NAVARA 2WD					
D21, Z20, Z24 2WD PETROL	86-	<i>RUJ-1700</i>	<i>RUJ-1700</i>	<i>RUJ-1700</i>	
D21, SD25, TD27 2WD DIESEL	86-92	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
D22 2.4L 4 CYL 2WD	3/97-	<i>RUJ-1700</i>	<i>RUJ-1700</i>	<i>RUJ-1700</i>	
D22 3.0L V6, 3.0L 2WD DIESEL	3/97-	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	
NAVARA 4WD					
D21 4X4	85-8/87	<i>RUJ-1781</i>		<i>RUJ-1781</i>	FRONT SHAFT
D21 4X4	85-8/87	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	REAR SHAFT
D21 4X4	8/87-2/97	<i>RUJ-1700</i>		<i>RUJ-1700</i>	FRONT SHAFT
D21 4X4	8/87-2/97	<i>RUJ-1700</i>	<i>RUJ-1700</i>	<i>RUJ-1700</i>	REAR SHAFT
D22 2.4L 4 CYL 4X4	3/97-	<i>RUJ-1700</i>		<i>RUJ-1700</i>	FRONT SHAFT
D22 2.4L 4 CYL 4X4	3/97-	<i>RUJ-1700</i>	<i>RUJ-1700</i>	<i>RUJ-1700</i>	REAR SHAFT
D22 2.5L TURBO DIESEL	08-	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	REAR SHAFT
D22 3.0L V6 4X4	3/97-	<i>RUJ-1700</i>		<i>RUJ-1700</i>	FRONT SHAFT
D22 3.0L V6, 3.0L DIESEL 4X4	3/97-	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	REAR SHAFT
D40 4.0L V6 PETROL 4WD	12/05-11/09	<i>5-178XHD</i>		<i>5-178XHD</i>	REAR SHAFT
D40 2.5L TURBO DIESEL	12/05-	<i>RUJ-3002</i>		<i>RUJ-3002</i>	REAR SHAFT
D40 4WD	12/05-	<i>K5-13XR</i>		<i>K5-13XR</i>	FRONT SHAFT (THAILAND MODELS) RUBBER BOOT FITTED TO SPLINES
D40 4WD (CHASSIS PREFIX CVND40)	12/05-4/10	<i>K5-A757</i>		<i>K5-A757</i>	FRONT SHAFT (SPANISH MODELS)

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
PATHFINDER					
4 CYL WNY21	86-8/87	<i>RUJ-1781</i>		<i>RUJ-1781</i>	FRONT SHAFT
4 CYL WNY21	86-8/87	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	REAR SHAFT
4 CYL	8/87-8/92	<i>RUJ-1700</i>		<i>RUJ-1700</i>	FRONT SHAFT
4 CYL	8/87-8/92	<i>RUJ-1700</i>	<i>RUJ-1700</i>	<i>RUJ-1700</i>	REAR SHAFT
V6 3.0L	8/92-11/95	<i>RUJ-1700</i>		<i>RUJ-1700</i>	FRONT SHAFT
V6-3.0L	8/92-11/95	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	REAR SHAFT
V6 3.3L	11/95-	<i>RUJ-1700</i>		<i>RUJ-1700</i>	FRONT SHAFT
V6-3.3L	11/95-5/05	<i>RUJ-2028</i>	<i>RUJ-2028</i>	<i>RUJ-2028</i>	REAR SHAFT
R51 4WD	5/05-	<i>K5-A757</i>		<i>K5-A757</i>	FRONT SHAFT
R51 2.5L TURBO DIESEL 4WD	5/05-	<i>RUJ-3002</i>		<i>RUJ-3002</i>	REAR SHAFT
R51 4.0L V6 PETROL 4WD	5/05-	<i>5-178XHD</i>		<i>5-178XHD</i>	REAR SHAFT
PATROL					
G60	59-80	<i>5-178X</i>		<i>5-178X</i>	FRONT & REAR SHAFT
MQ	80-87	<i>RUJ-2028</i>		<i>RUJ-2028</i>	FRONT & REAR SHAFT
GQ 4.2L	87-97	<i>RUJ-2028</i>		<i>RUJ-2028</i>	FRONT SHAFT
GQ 4.2L	87-97	<i>RUJ-3007</i>		<i>RUJ-3007</i>	REAR SHAFT
GQ 3.0L & 2.8L	89-97	<i>RUJ-2028</i>		<i>RUJ-2028</i>	FRONT & REAR SHAFT
GU 2.8L TURBO DIESEL	12/97-5/00	<i>RUJ-2028</i>		<i>RUJ-2028</i>	FRONT & REAR SHAFT
GU PETROL, DIESEL, TURBO DIESEL	12/97-	<i>RUJ-2028</i>		<i>RUJ-2028</i>	FRONT SHAFT
GU PETROL, DIESEL, TURBO DIESEL	12/97-	<i>RUJ-3007</i>		<i>RUJ-3007</i>	REAR SHAFT
TERRANO					
	97-00	<i>STAKED</i>		<i>STAKED</i>	
NOTE: TERRANO MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
URVAN					
E20, E30	74-86	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
E24	4/87-93	<i>RUJ-1700</i>		<i>RUJ-1700</i>	
NOTE: SOME URVAN MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
UTE					
XFN	86-91	<i>RUJ-2038R</i>		<i>RUJ-2038R</i>	
VANETTE					
C20	74-80	<i>RUJ-1780</i>		<i>RUJ-1780</i>	
C20, C120	80-86	<i>RUJ-1781</i>		<i>RUJ-1781</i>	
NOTE: SOME VANETTE MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
X-TRAIL					
	11/00-	<i>STAKED</i>		<i>STAKED</i>	
NOTE: X-TRAIL MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
ROVER					
ROVER					
80, 95, 100, 110, 2000, 3500, 3500S	58-87	K5-13XR		K5-13XR	
2000, 3500, 3500S (WITH IRS)	63-87			5-178X	IRS HALF SHAFT
LANDROVER					
SERIES I & II	48-62	K5-L4R		K5-L4R	FRONT & REAR SHAFT
SERIES I & II	48-62	K5-GB35			FRONT AXLE SWIVEL JOINT
SERIES IIA & III	62-84	K5-13XR		K5-13XR	FRONT & REAR SHAFT
SERIES IIA & III	62-84	K5-GB35			FRONT AXLE SWIVEL JOINT
110 & DEFENDER	84-86	K5-13XR		K5-13XR	FRONT & REAR SHAFT
110 & DEFENDER	86-	K5-A757		K5-A757	FRONT & REAR SHAFT
FREELANDER	3/98-	K5-GB150		K5-GB150	FRONT SHAFT
FREELANDER	3/98-	CVJ (NA)	K5-GB150 x 2	K5-GB150	THREE PIECE REAR SHAFT
RANGEROVER					
RANGEROVER	72-85	K5-13XR		K5-13XR	FRONT & REAR SHAFT
RANGEROVER	86-	K5-A757		K5-A757	FRONT & REAR SHAFT
DISCOVERY					
DISCOVERY	91-	K5-A757		K5-A757	FRONT & REAR SHAFT
SUBARU					
FORESTER					
AWD	8/97-	STAKED	STAKED	STAKED	
NOTE: FORESTER MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
IMPREZA					
AWD	11/96-	STAKED	STAKED	STAKED	
NOTE: IMPREZA MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
LEONE, BRUMBY					
4WD	72-94	RUJ-1796	RUJ-1796	RUJ-1796	
LIBERTY					
AWD	91-	STAKED	STAKED	STAKED	
NOTE: LIBERTY MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
OUTBACK					
AWD	91-	STAKED	STAKED	STAKED	
NOTE: OUTBACK MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
TOYOTA					
CELICA					
TA, RA SERIES	71-83	<i>RUJ-1776</i>	<i>RUJ-1776</i>	<i>RUJ-1776</i>	
TA, RA SERIES SOME	71-83	<i>K5-A654</i>	<i>K5-A654</i>	<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: SOME CELICA MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
COROLLA					
KE 10-70 (JAP PRODUCTION)	67-83	<i>K5-A517</i>		<i>K5-A517</i>	
KE 10-70 (AUST PRODUCTION)	67-81	<i>RUJ-1786R</i>		<i>RUJ-1786R</i>	
KE70, AE70, 71, 72 (AUST PRODUCTION)	11/81-85	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	
AE86 SPRINTER (JAP PRODUCTION)	RUJ-2016	<i>RUJ-2016</i>	<i>RUJ-2016</i>		
AE95 4X4 SOME	88-95	<i>RUJ-1776</i>		<i>RUJ-1776</i>	
AE95 4X4	88-95	<i>K5-A654</i>		<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: SOME AE95 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
CORONA					
RT40 - RT118 (JAP PRODUCTION)	64-5/79	<i>RUJ-1776</i>	<i>RUJ-1776</i>	<i>RUJ-1776</i>	
RT132-RT142, ST141, XT130-133 (AUST PRODUCTION)	6/79-87	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	
		<i>K5-A654</i>	<i>K5-A654</i>	<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: SOME CORONA MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
CORONA MKII					
RT72, MX10-23 SERIES	70-77	<i>RUJ-1776</i>		<i>RUJ-1776</i>	
CRESSIDA					
MX32-MX73	77-88	<i>RUJ-1776</i>	<i>RUJ-1776</i>	<i>RUJ-1776</i>	
MX32-MX73	77-88	<i>K5-A654</i>	<i>K5-A654</i>	<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: SOME CRESSIDA MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
CROWN					
MS40, RS40	64-68	<i>RUJ-1776</i>	<i>RUJ-1776</i>	<i>RUJ-1776</i>	
MS53, MS55, MS57, MS65	68-74	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	<i>RUJ-1786R</i>	
MS83, MS85, MS111, MS112	75-9/83	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	
MS83, MS85, MS111, MS112	75-9/83	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	
MS123	10/83-88	<i>STAKED</i>	<i>STAKED</i>	<i>STAKED</i>	STAKED UNIVERSALS
NOTE: CROWN MS123 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
LEXCEN					
VN-VS	89-	<i>RUJ-2038R</i>	<i>CV-855A</i>	<i>RUJ-2038R</i>	
RAV4					
	6/94-	<i>K5-A654</i>	<i>K5-A654</i>	<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: RAV4 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
SUPRA					
MA60	81-86	<i>RUJ-1776</i>	<i>RUJ-1776</i>	<i>RUJ-1776</i>	
MA70, MA71	86-92	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	
SOME		<i>STAKED</i>	<i>STAKED</i>	<i>STAKED</i>	STAKED UNIVERSALS
NOTE: SOME SUPRA MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
T18					
TE72	78-82	<i>K5-A654</i>		<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: T18 MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
TARAGO					
YR20, YR21, CR21-	82-90	<i>RUJ-1776</i>		<i>RUJ-1776</i>	
YR20	82-90	<i>RUJ-2016</i>		<i>RUJ-2016</i>	
	82-90	<i>K5-A654</i>		<i>K5-A654</i>	STAKED UNIVERSALS
TCR10, 11	9/90-5/00	<i>RUJ-2100HD</i>		<i>RUJ-2100HD</i>	
NOTE: SOME TARAGO MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
TERCEL					
4WD	83-88	<i>K5-A654</i>	<i>K5-A654</i>	<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: TERCEL MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					
BLIZZARD					
LD10 (WITH EXTERNAL CIRCLIPS)	82-83	<i>K5-A522</i>		<i>K5-A522</i>	FRONT & REAR SHAFT
LD10 (WITH INTERNAL SNAP RINGS)	82-83	<i>RUJ-2023</i>		<i>RUJ-2023</i>	FRONT & REAR SHAFT
BUNDERA					
	84-93	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT & REAR SHAFT
COASTER					
JU18, RU18	69-72	<i>K5-A519</i>	<i>K5-A519</i>	<i>K5-A519</i>	
BU19, RU19	72-77	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	
ALL	77-	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	
DYNA					
ALL	62-74	<i>K5-A519</i>	<i>K5-A519</i>	<i>K5-A519</i>	
ALL	74-84	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	
DYNA 100	86-01	<i>RUJ-2016</i>		<i>RUJ-2016</i>	
DYNA 150	85-88	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	
DYNA 200, 300, 400	85-	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	
HIACE					
RH, LH	67-89	<i>RUJ-2016</i>		<i>RUJ-2016</i>	
RZH, LH103, 113	89-	<i>RUJ-2100HD</i>		<i>RUJ-2100HD</i>	
SOME		<i>STAKED</i>		<i>STAKED</i>	STAKED UNIVERSALS
NOTE: SOME HIACE MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
HILUX 2WD					
RN13-RN41, LN30-LN56, YN55-YN58, LN85, YN85	68-88	<i>RUJ-2016</i>	<i>RUJ-2016</i>	<i>RUJ-2016</i>	
LN86, RN85, RN90, RZN147, 149, 154	88-	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	
KUN15 3.0L, GGN15 4.0L, TGN16R 2.7L WORKMATE	3/05-	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	
TGN121 2.7L	5/15-	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	<i>RUJ-2100HD</i>	
HILUX 4WD, 4 RUNNER					
LN40, LN46 4WD	79-7/83	<i>RUJ-2100HD</i>		<i>114-2501 x 2</i>	FRONT SHAFT WITH D/CARDAN
LN40, LN46 4WD	79-7/83	<i>RUJ-2100HD</i>		<i>RUJ-2100HD</i>	REAR SHAFT
LN65, YN65, YN67, RN105, RN106, RN110 4WD	8/83-	<i>RUJ-2109HD</i>		<i>114-2501 x 2</i>	FRONT SHAFT WITH D/CARDAN 13mm PIN CV-163
RZN169, RZN174 4WD	8/83-	<i>RUJ-2109HD</i>	<i>RUJ-2109HD</i>	<i>RUJ-2109HD</i>	REAR SHAFT
VZN167R 4WD	10/01-2/05	<i>RUJ-2109HD</i>		<i>114-2501 x 2</i>	FRONT SHAFT WITH D/CARDAN 12mm PIN SCV-34
VZN167R 4WD	10/01-2/05	<i>RUJ-2109HD</i>	<i>TBA x 2</i>	<i>RUJ-2109HD</i>	REAR SHAFT WITH D/CARDAN IN THE MIDDLE
LN167 4WD	12/00-04	<i>RUJ-2109HD</i>		<i>114-2501 x 2</i>	FRONT SHAFT WITH D/CARDAN
LN167 4WD	12/00-04	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	REAR SHAFT
KUN26 3.0L DT, GGN25R 4.0L V6 4WD	3/05-	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT & REAR SHAFT
KUN26 3.0L DT, GGN25R 4.0L V6 4WD SOME	3/05-	<i>K5-13XR</i>		<i>K5-13XR</i>	FRONT & REAR SHAFT WITH EXTERNAL CIRCLIPS
GUN126 4WD	6/15-	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT SHAFT
GUN126 4WD	6/15-	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	<i>RUJ-2041HD</i>	REAR SHAFT
LANDCRUISER					
ALL	65-1/74	<i>K5-A519</i>		<i>K5-A519</i>	FRONT & REAR SHAFT
ALL	1/74-1/90	<i>RUJ-2041HD</i>		<i>RUJ-2041HD</i>	FRONT & REAR SHAFT
75, 78, 79 SERIES	1/90-	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT SHAFT
75, 78, 79 SERIES	1/90-	<i>RUJ-2041HD</i>		<i>RUJ-2041HD</i>	REAR SHAFT
80 SERIES	1/90-12/99	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT SHAFT
80 SERIES	1/90-12/99	<i>RUJ-2041HD</i>		<i>RUJ-2041HD</i>	REAR SHAFT
100 SERIES	3/98-	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT SHAFT
100 SERIES	3/98-	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	REAR SHAFT
HDJ100, HZJ100, UZJ100, FZJ100 WITH SWING OUT BACK DOOR	7/98-8/02	<i>RUJ-2041HD</i>		<i>RUJ-2041HD</i>	REAR SHAFT
UZJ100	02-06	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	REAR SHAFT
GSJ15 FJ CRUISER	11-	<i>RUJ-2109HD</i>		<i>RUJ-2109HD</i>	FRONT & REAR SHAFT
LITE ACE					
ALL	70-85	<i>RUJ-1776</i>		<i>RUJ-1776</i>	
	85-	<i>K5-A654</i>		<i>K5-A654</i>	STAKED UNIVERSALS
NOTE: SOME LITE ACE MODELS HAVE STAKED UNIVERSAL JOINTS, UNSERVICEABLE WITHOUT SPECIAL TOOLING.					

*STAKED JOINT - UNSERVICEABLE WITHOUT SPECIAL TOOLING, REFER TO HARDY SPICER

www.hardyspicer.com.au	
Document No:	HSDSCAT
Issue:	18
Issue Date:	01/09/19

APPLICATION LISTING

Make / Model	Year	Joint Position			Notes
		Front	Middle	Rear	
VOLVO					
140 SERIES					
ALL	67-73	<i>K5-LGB80R</i>		<i>K5-LGB80R</i>	
B20E, CB20	73-75	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	
B20, B20A	73-75	<i>K5-LGB80R</i>	<i>K5-LGB80R</i>	<i>K5-L4R</i>	
160 SERIES					
164E, 164TE, B30E	72-75	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	
240 SERIES					
B21A, B23E, B230E, B230F	75-87	<i>K5-LGB80R</i>	<i>K5-LGB80R</i>	<i>K5-L4R</i>	
B21E	75-80	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	
260 SERIES					
262, 264, 265	75-86	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	
740, 760 SERIES					
	83-90	<i>K5-13XR</i>	<i>K5-13XR</i>	<i>K5-13XR</i>	SOME
	83-90	<i>K5-13XR</i>	<i>K5-L4R</i>	<i>K5-L4R</i>	SOME
	83-90	<i>K5-L4R</i>	<i>K5-L4R</i>	<i>K5-L4R</i>	SOME



HS Company Pty Ltd - Central Support Group

Dandenong	17-31 Discovery Road, Dandenong Sth, 3175 E: hspicer@hardyspicer.com.au	Ph: (03) 9794 1900	Fax: (03) 9706 9928
------------------	--	---------------------------	---------------------

Queensland

Eagle Farm	45 Harvey Street North, Eagle Farm 4009 E: salesbb@hardyspicer.com.au	Ph: (07) 3166 2500	Fax: (07) 3166 2599
-------------------	--	---------------------------	---------------------

Darra	12 Pradella Street, Darra 4076 E: salesdarra@hardyspicer.com.au	Ph: (07) 3117 2800	Fax: (07) 3117 2899
--------------	---	---------------------------	---------------------

Mackay	43 Margaret Vella Drive, Mackay 4740 E: saleshmk@hardyspicer.com.au	Ph: (07) 4914 2100	Fax: (07) 4914 2199
---------------	---	---------------------------	---------------------

New South Wales

Sydney	37a Heathcote Road, Moorebank 2170 E: saleshsn@hardyspicer.com.au	Ph: (02) 9600 6333	Fax: (02) 9602 1947
---------------	---	---------------------------	---------------------

Newcastle	2 Canavan Drive, Beresfield 2322 E: saleshnc@hardyspicer.com.au	Ph: (02) 4964 4955	Fax: (02) 4964 4935
------------------	---	---------------------------	---------------------

Wollongong*	2 Belmore Street, Wollongong 2500 E: workshop@danielengineering.com.au	Ph: (02) 4229 2381	Fax: (02) 4226 3016
--------------------	--	---------------------------	---------------------

*Trading as Daniel Engineering

Victoria

Dandenong	17-31 Discovery Road, Dandenong Sth, 3175 E: saleshdn@hardyspicer.com.au	Ph: (03) 9799 3250	Fax: (03) 9799 2530
------------------	--	---------------------------	---------------------

Sunshine	174a Fairbairn Road, Sunshine West, 3020 E: saleshcf@hardyspicer.com.au	Ph: (03) 9357 0233	Fax: (03) 9357 0773
-----------------	---	---------------------------	---------------------

Tasmania

Hobart	10a Duncan Street, Montrose 7010 E: hobartorders@hardyspicer.com.au	Ph: (03) 6272 6907	Fax: (03) 6272 0671
---------------	---	---------------------------	---------------------

South Australia

Adelaide	2/479-481 South Road, Regency Park 5010 E: saleshal@hardyspicer.com.au	Ph: (08) 8349 6400	Fax: (08) 8349 5264
-----------------	--	---------------------------	---------------------

Western Australia

Perth	49 Banksia Road, Welshpool 6106 E: perthsales@hardyspicer.com.au	Ph: (08) 9258 6300	Fax: (08) 9258 6311
--------------	--	---------------------------	---------------------

Kalgoorlie	7 Keogh Way, Kalgoorlie 6430	Ph: (08) 9091 1443	Fax: (08) 9091 1463
-------------------	------------------------------	---------------------------	---------------------

Bunbury‡	10 Shanahan Road, Bunbury 6230 E: sales@southernhydraulics.com.au	Ph: (08) 9725 7033	Fax: (08) 9725 7044
-----------------	---	---------------------------	---------------------

‡Trading as Southern Hydraulic Services